Hauf			SAFETY DATA SHI	EET
Issuing Date 21-Feb-2	014	Revision Date 13-Mar-2017	Revision Number 0	
1. IDENTIFICAT	ION OF THE SUBS	STANCE/PREPARATION	AND THE COMPANY/UNDERTAK	NG
GHS product identifier				
Product Name	Haynes	Lubri-Film		
Other means of identif	ication			
Product Code(s)	HLF			
Synonyms	Petroleu	um lubricant		
Recommended use of	the chemical and rest	rictions on use		
Recommended Use	Lubricat	ting grease for food processing	equipment	
Uses advised against	No infor	mation available		
Supplier's details				
Supplier Address Haynes Mfg Co 24142 Detroit Road Westlake, OH 44145 TEL: 440-871-2188	5			
Emergency telephone	number			
Emergency Telephone Number	440-871 800-992	I-2188 x195 2-2166		
	2	. HAZARDS IDENTIFICA	ATION	
Classification_				
This chemical is not con	sidered hazardous acc	ording to the OSHA Hazard Co	mmunication Standard 2012 (29 CFR 1910.1	200).
Not classified				
GHS Label elements, in	ncluding precautional	ry statements		
		Emergency Overview	1	
Signal Word	None			
The product co	ontains no substances v	which at their given concentration	on are considered to be hazardous to health	
Appearance Transpare	ent grease.	Physical State Solid (compres Grease.	odor O	dorless
Precautionary Stateme Prevention • None	nts			
		Page 1/7		

General Advice None Storage None Disposal None Hazard Not Otherwise Classified (HNOC) Not applicable. Other information May cause skin irritation. 7% of the mixture consists of ingredient(s) of unknown toxicity. 3. COMPOSITION/INFORMATION ON INGREDIENTS Synonyms Petroleum lubricant Chemical Name CAS-No Weight % Trade secret White mineral oil 8042-47-5 60-100 *The exact percentage (concentration) of composition has been withheld as a trade secret. 4. FIRST AID MEASURES Description of necessary first-aid measures Rinse thoroughly with plenty of water, also under the eyelids. If material is hot, treat for Eye Contact thermal burns and seek immediate medical attention. Skin Contact Wash off with warm water and soap. If material is hot and thermal burns are sustained, submerge injured area in cold water. Do not apply ice to injured area. If burns are severe and/or cover a large area of skin, seek immediate medical attention. Inhalation Not an expected route of exposure. Clear passages and remove to fresh air. Clean mouth with water and afterwards drink plenty of water. Call a POISON CENTER or Ingestion doctor/physician if exposed or you feel unwell. Most important symptoms/effects, acute and delayed Most Important Symptoms/Effects No information available. Indication of immediate medical attention and special treatment needed, if necessary Notes to Physician Treat symptomatically. 5. FIRE-FIGHTING MEASURES Suitable Extinguishing Media Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Unsuitable Extinguishing Media No information available. Specific Hazards Arising from the Chemical No information available. Explosion Data Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None. Page 2/7

Revision Date 13-Mar-2017

WPS-HMC-004 - Haynes Lubri-Film

WPS-HMC-004 - Haynes Lubri-Film	ı	Revision Date 13-Mar-2017	WPS-HMC-004 - Haynes Lubri-Film			Revision Date 13-Mar-2
Protective Equipment and Preca As in any fire, wear self-contained protective gear.	utions for Firefighters Skin and Body Protection No special protective preathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full Respiratory Protection If exposure limits are respiratory protection respiratory protection respiratory protection respiratory protection		No special protective equilibrium of the sposure limits are excinent of the spiratory protection shore required for high airborned for high airbor	protective equipment required. protective equipment required. limits are exceeded or irritation is experienced, NIOSH/MSHA approved protection should be worn. Positive-pressure supplied air respirators may be high airborne contaminant concentrations. Respiratory protection must be accordance with current local regulations.		
Personal precautions, protectiv	e equipment and emergency procedures_		Hygiene Measures	Handle in accordance wi	th good industrial hygiene and	safety practice.
Personal Precautions	Avoid contact with eyes. Ensure adequate ventilation. ELIMINATE smoking, flares, sparks or flames in immediate area).	all ignition sources (no			HEMICAL PROPERTIES	
Other Information	Material can create slippery conditions.		Information on basic physical a	• •		
Environmental Precautions				Solid (compressed), Grease. Ddorless.	Appearance Odor Threshold	Transparent grease. No information available.
Environmental Precautions	Prevent further leakage or spillage if safe to do so. Prevent entry ir basements or confined areas.	to waterways, sewers,	Property pH	<u>Values</u> No data available	Remarks/ - Me None known	thod
Methods and materials for contained	ainment and cleaning up		Melting Point/Range Boiling Point/Boiling Range Flash Point Evaporation rate	93 °C / 200 °F No data available > 148 °C / > 300 °F No data available	None known None known None known None known	
Methods for Containment	Prevent further leakage or spillage if safe to do so.		Flammability (solid, gas)	No data available	None known	
Methods for Cleaning Up	Pick up and transfer to properly labeled containers.		Flammability Limits in Air upper flammability limit	No data available		
	7. HANDLING AND STORAGE		lower flammability limit Vapor Pressure	No data available No data available	None known	
Precautions for safe handling			Vapor Density Specific Gravity Water Solubility	No data available <1 Negligible	None known None known None known	
Handling	Handle in accordance with good industrial hygiene and safety prac Keep away from open flames, hot surfaces and sources of ignition ventilation. If spilled, take caution, as material can cause surfaces	Ensure adequate	Solubility in other solvents Partition coefficient: n-octanol/ Autoignition Temperature	No data available waterNo data available No data available	None known None known None known	
Conditions for safe storage, inc	luding any incompatibilities		Decomposition Temperature Viscosity	No data available No data available	None known None known	
Storage	Keep containers tightly closed in a dry, cool and well-ventilated pla	ce.	Flammable Properties	Not flammable		
Incompatible Products	None known based on information supplied.		Explosive Properties Oxidizing Properties	No data available No data available		
8. E	EXPOSURE CONTROLS / PERSONAL PROTECTION		0			
Control parameters			Other information			
Exposure Guidelines			VOC Content (%)	No data available		
Chemical Name	ACGIH TLV OSHA PEL	NIOSH IDLH		10. STABILITY	AND REACTIVITY	
White mineral oil 8042-47-5	TWA: 5 mg/m ³ inhalable TWA: 5 mg/m ³ particulate matter excluding metal (vacated) TWA: 5 mg/m ³ working fluids, highly & severely refined	IDLH: 2500 mg/m ³ TWA: 5 mg/m ³ STEL: 10 mg/m ³	Reactivity			
OSHA PEL: Occupational Safety a	and Health Administration - Permissible Exposure Limits.		No data available.			
Other Exposure Guidelines	Vacated limits revoked by the Court of Appeals decision in AFL-CI (11th Cir., 1992).	D v. OSHA, 965 F.2d 962	Chemical stability	ao conditiono		
Appropriate engineering contro	ls		Stable under recommended stora	5		
			Possibility of hazardous reactio	ns		

Eyewash stations Ventilation systems

Engineering Measures

Individual protection measures, such as personal protective equipment

Showers

Page 3/7

None under normal processing.

Hazardous polymerization does not occur.

Hazardous Polymerization

Revision Date 13-Mar-2017

WPS-HMC-004 - Haynes Lubri-Film

Revision Date 13-Mar-2017

```
Conditions to avoid
```

Ignitions sources - heat, sparks and open flames.

Incompatible materials

None known based on information supplied.

Hazardous decomposition products

Carbon monoxide (CO). Carbon dioxide (CO2). Hazardous decomposition products due to incomplete combustion.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information Inhalation Eye Contact Skin Contact Ingestion	Inhalation of May cause s Substance m Potential for	There is no data available for this product Inhalation of aerosols: May cause irritation of respiratory tract. May cause slight irritation. Substance may cause slight skin irritation. Potential for aspiration if swallowed. May cause gastrointestinal discomfort if consumed in large amounts.			
Component Information	No information	on available.			
Symptoms related to the ph	ysical, chemical and	toxicological characteris	stics		
Symptoms	No information	on available.			
Delayed and immediate effe	ects and also chronic	effects from short and lo	ong term exposure		
Sensitization No information available. Mutagenic Effects No information available. Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen. Mineral oils are known to cause cancer because of carcinogenic components (e.g. benzene). The mineral oil in this product is highly refined and should not be considered a carcinogen.					
Chemical Name	ACGIH	IARC	NTP	OSHA	
	A2				

A2 - Suspected Human Carcinogen

Reproductive Toxicity	No information available.
STOT - single exposure	No information available.
STOT - repeated exposure	No information available.
Aspiration Hazard	May be harmful if swallowed and enters airways.

Numerical measures of toxicity - Product

7% of the mixture consists of ingredient(s) of unknown toxicity. Unknown acute toxicity The following values are calculated based on chapter 3.1 of the GHS document: Not classified

12. ECOLOGICAL INFORMATION

Ecotoxicity

The environmental impact of this product has not been fully investigated. May cause long lasting harmful effects to aquatic life.

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
White mineral oil		LC50 96 h: > 10000 mg/L		

WPS-HMC-004 - Haynes Lubri-Film			Revision Date 13-Mar-201
8042-47-5	(Lepomis m	acrochirus)	
Persistence and Degradability	No information available.		
Bioaccumulation	Bioaccumulative potential.		
Chemical	Name		Log Pow
White mine	ral oil		>6
	13. DISPOSAL CO		TIONS
Waste Disposal Methods	This material, as supplied, CFR 261). This material c comes in contact with a ha if the material is processed	is not a haza ould become zardous was l or otherwise zardous was	rdous waste according to Federal regulations (40 a hazardous waste if it is mixed with or otherwise te, if chemical additions are made to this material, altered. Consult 40 CFR 261 to determine wheth te. Consult the appropriate state, regional, or loca
Waste Disposal Methods Contaminated Packaging	This material, as supplied, CFR 261). This material c comes in contact with a ha if the material is processec the altered material is a ha	is not a haza ould become zardous was I or otherwise zardous was equirements.	rdous waste according to Federal regulations (40 a hazardous waste if it is mixed with or otherwise te, if chemical additions are made to this material, altered. Consult 40 CFR 261 to determine wheth te. Consult the appropriate state, regional, or loca

DOT

Not	regulated	

15. REGULATORY INFORMATION					
TSCA	Complies				
DSL	All components are listed either on the DSL or NDSL.				
<u> -egend - ISCA - United States Toxic Substances Control Act Section 8(b) Inventory SIL/NDSL - Canadian Domestic Substances ListNon-Domestic Substances List</u>					

U.S. Federal Regulations

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories	
Acute Health Hazard	No
Chronic Health Hazard	No
Fire Hazard	No
Sudden Release of Pressure Hazard	No
Reactive Hazard	No

<u>Clean Water Act</u> This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CERCLA This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and

WPS-HMC-004 - Haynes Lubri-Film

Revision Date 13-Mar-2017

Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

U.S. State Regulations

<u>California Proposition 65</u> This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania	Illinois	Rhode Island
White mineral oil	Х	Х	Х		Х

U.S. EPA Label Information EPA Pesticide Registration Number Not applicable

16. OTHER INFORMATION					
<u>NFPA</u>	Health Hazard 0	Flammability 1	Instability 0	Physical and Chemical Hazards -	
HMIS	Health Hazard 0	Flammability 1	Physical Hazard 0	Personal Protection X	

21-Feb-2014 13-Mar-2017 Issuing Date **Revision Date** Not applicable. **Revision Note**

<u>General Disclaimer</u> The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text. End of Safety Data Sheet